MICROELECTRONICS AND RELIABILITY

Editors-in-Chief

N. D. STOJADINOVIĆ **M. G. PECHT**

Founding Editor

G. W. A. DUMMER

VOLUME 37, 1997

VOLUME CONTENTS AND AUTHOR INDEX

PERGAMON

MICROELECTRONICS AND RELIABILITY

Editors-in-Chief

PROFESSOR N. D. STOJADINOVIĆ
Department of Microelectronics, Faculty of Electronic Engineering, University of Niš,
Beogradska 14, 18000 Niš, Yugoslavia
(Tel: +381 18 49-155; Fax: +381 18 46-180; E-mail: stojadinovic@efnis.elfak.ni.ac.yu)

PROFESSOR M. G. PECHT
CALCE Electronic Packaging Research Center, University of Maryland, College Park, MD 20742, U.S.A.
(Tel: +1 301 405-5323; Fax: +1 301 314-9269; E-mail: pecht@eng.umd.edu)

Regional Editors

S. C. SUN
Taiwan Semiconductor Manufacturing Co. Ltd
9 Creation Rd I
Science-Based Industrial Park
Hsinchu
Taiwan
Republic of China
(Tel: +886 35 781688 extn 4700; Fax: +886 35 773671;
E-mail: scsun@tmsc.co.tw)

H. IWAI
ULSI Device Engineering Laboratory
Microelectronics Engineering Laboratory
Toshiba Corporation
1 Komukai-Toshiba-cho, Saiwai-ku
Kawasaki 210
Japan
(Tel: +81 44 549 2335; Fax: +81 44 549 2291;
E-mail: iwai@ull.rdc.toshiba.co.jp)

F. FANTINI
Department of Information Technology
University of Parma
Viale delle Scienze, 43100, Parma
Italy
(Tel: +39 521 905 824; Fax: +39 521 905 822;
E-mail: fausto@ee.unipr.it)

D. PIERCE
Sandia Technologies Inc
PO Box 23338
Albuquerque, NM 87112
U.S.A.
(Tel/Fax: +1 505 271 0122;
E-mail: dpiercest@aol.com)

Editorial Advisory Board

H. S. Blanks, *Herzliya, Israel*
W. D. Brown, *Fayetteville, AK, U.S.A.*
S. Cristoloveanu, *Grenoble, France*
B. S. Dhillon, *Ottawa, Canada*
S. Dimitrijev, *Nathan, Brisbane, Australia*
D. M. Fleetwood, *Albuquerque, NM, U.S.A.*
M. Fukuda, *Kanagawa, Japan*
G. Groeseneken, *Leuven, Belgium*
P. Habas, *Vienna, Austria*
C. Hu, *Berkeley, CA, U.S.A.*
G. S. Hura, *Singapore*
R. M. Jacobs, *Livingston, NJ, U.S.A.*
B. Jenney, *Clayton, Melbourne, Australia*
B. K. Jones, *Lancaster, U.K.*
C. Ling, *Singapore*
A. Mathewson, *Cork, Ireland*
K. B. Misra, *Arunachal Pradesh, India*
S. Pershenkov, *Moscow, Russia*
M. K. Radhakrishnan, *Singapore*
S. S. Rao, *West Lafayette, IN, U.S.A.*
A. H. Rawicz, *Burnaby, Canada*
H. Reiche, *Ottawa, Canada*
J. L. Roca, *Buenos Aires, Argentina*
C. Singh, *College Station, TX, U.S.A.*
T. I. Sultan, *Giza, Egypt*
E. Takeda, *Tokyo, Japan*
A. Touboul, *Talence, France*
K. Verhaege, *Princeton, NJ, U.S.A.*
J. F. Verweij, *Enschede, The Netherlands*
H. Wong, *Kowloon, Hong Kong*

PUBLISHED MONTHLY

Publishing and Advertising Offices: Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, U.K.
(Tel: (01865) 843000; Fax: (01865) 843010)

Subscription rates: Annual Institutional Subscription Rates (1998): Europe, The CIS and Japan, 3436 Dutch Guilders. All other countries, U.S.$1975. Associated Personal Subscription Rates are available on request for those whose institutions are library subscribers. Dutch Guilder prices exclude VAT. Non-VAT registered customers in the European Community will be charged the appropriate VAT in addition to the price listed. Prices include postage and insurance and are subject to change without notice. For orders, claims, product enquiries (no manuscript enquiries) please contact the Customer Support Department at the Regional Sales Office nearest to you: **The Americas:** Elsevier Science Customer Support Department, PO Box 945, New York, NY 10010, U.S.A. [Tel: (+1) 212-633-3730/1-888 4ES-INFO. Fax: (+1) 212-633-3680. E-mail: usinfo-f@elsevier.com]. **Japan:** Elsevier Science Customer Support Department, 9-15 Higashi-Azabu 1-chome, Minato-ku, Tokyo 106, Japan [Tel: (+3) 5561-5033; Fax: (3) 5561-5047. E-mail: info@elsevier.co.jp]. **Asia Pacific (*excluding Japan*):** Elsevier Science (Singapore) Pte Ltd, No. 1 Temasek Avenue, 17-01 Millenia Tower, Singapore 039192 [Tel: (+65) 434-3727. Fax: (+65) 337-2230. E-mail: asiainfo@elsevier.com.sg]. **Rest of the World:** Elsevier Science Customer Service Department, PO Box 211, 1001 AE Amsterdam, The Netherlands [Tel: (+31) 20-485-3757. Fax: (+31) 20-485-3432. E-mail: nlinfo-f@elsevier.nl].

© 1998 Elsevier Science Ltd

Periodicals postage paid at Rahway, New Jersey and additional entry points. *Microelectronics and Reliability* (ISSN 0026-2714) is published 12 issues per year monthly, by Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, U.K. *Microelectronics and Reliability* is distributed by Mercury Airfreight International Ltd, 2323 Randolph Avenue, Avenel, NJ 07001-2413. POSTMASTER: Please send address corrections to *Microelectronics and Reliability*, c/o Elsevier Science Regional Sales Office, Customer Support Department, 655 Avenue of the Americas, New York, NY 10010, U.S.A.

VOLUME CONTENTS

Number 1

N. Stojadinović and M. Pecht — 1 Editorial

Review Papers

H. A. Schafft, D. L. Erhart and W. K. Gladden — 3 Toward a building-in reliability approach

W. H. Krautschneider, A. Kohlhase and H. Terletzki — 19 Scaling down and reliability problems of Gigabit CMOS circuits

S. Nakajima and T. Takeda — 39 Failure analysis in halfmicron and quartermicron eras

Research Papers

M. Minondo, J. Boussey and G. Kamarinos — 53 The impact of the substrate preamorphisation on the electrical performances of p$^+$/n silicon junction diodes

P. Francis, J. P. Colinge and D. Flandre — 61 Comparison of self-heating effect in GAA and SOI MOSFETs

C. Ciofi and S. Di Pascoli — 77 Temperature coefficient of resistance fluctuations during electromigration in Al lines

L. K. J. Vandamme and A. J. van Kemenade — 87 Resistance noise measurement: a better diagnostic tool to detect stress and current induced degradation

S. Graffi, G. Masetti and A. Piovaccari — 95 Criteria to reduce failures induced from conveyed electromagnetic interferences on CMOS operational amplifiers

B. Lisenker and Y. Nevo — 115 CMOS VLSI reliability test model

T. C. Garyet and N. Dickson — 121 Improved understanding of physical defect mechanisms using fault simulation

P. M. Petković, D. P. Milovanović and V. B. Litovski — 137 Symbolic fault modelling of MOS combinational circuits

Technical Notes

E. V. Jelenkovic and K. Y. Tong — 159 Effect of deposition conditions on stability of sputtered oxide in MOS structures

Deren Lu and Baoqing Li — 171 Observation of DC currents induced in MOS capacitors during NBTS aging

J.-L. Loheac, F. Raoult, O. Bonnaud and M. Taurin — 179 Analysis for the reliability of the intrinsic base ion implantation of a 3 GHz I^{2}L bipolar process from the measure of integrated resistances: from the results, setting of rules for an expert system

Number 2

Hongzhou Wang and Hoang Pham — 187 Survey of reliability and availability evaluation of complex networks using Monte Carlo techniques

B. S. Dhillon and A. R. M. Fashandi — 211 Robotic systems probabilistic analysis

K. Thirusangu and K. Rangarajan — 225 Marked graphs and Euler graphs

Li Jianping and Jia Xishen — 237 A new partial bound enumeration technique for solving reliability redundancy optimization

S. V. Gurov, S. P. Habarov and L. V. Utkin — 243 Safety analysis of a multi-phased control system

J. Malinowski and W. Preuss 255 A parallel algorithm evaluating the reliability of a system with known minimal cuts (paths)

A. Aissani 267 Limit distributions for dependent thinning of dissipative point processes

A. N. Ahmed, A. A. Soliman and S. E. Khider 277 Preservation results for ordered random variables, with applications to reliability theory

R. C. Suich 289 Reliability and cost: questions for the engineer

T.-L. Tran, J. S. Sherif, C. Mikulski and M. Wang 297 MY-STAR: a methodology and system for tracing and analyzing requirements

A. A. Abdel-Ghaly, G. R. Al-Dayian and F. H. Al-Kashkari 305 The use of Burr type XII distribution on software reliability growth modelling

Ying Hui Tang 315 A single-server M/G/1 queueing system subject to breakdowns—some reliability and queueing problems

A. F. Attia 323 Estimation of the reliability function using the delay-time models

G. S. Mokaddis, M. L. Tawfek and S. A. M. Elhssia 329 Analysis of a two-dissimilar unit cold standby redundant system subject to inspection and random change in units

G. S. Mokaddis, M. L. Tawfek and S. A. M. Elhssia 335 Cost analysis of a two dissimilar-unit cold standby redundant system subject to inspection and two types of repair

A. A. Hagin 341 Reliability evaluation of a repairable network with limited capacity and structural redundancy

M. M. El Fahham and H. S. El Said 349 Asymptotic expansion in the limit theorem for the convergence to Laplace distribution

A. I. Shawky 355 The single-server machine interference model with balking, reneging and an additional server for longer queues

Technical Notes

Jun Cai and Yanhong Wu 359 A note on the preservation of the NBUC class under formation of parallel systems with dissimilar components

D. Roy 361 On classifications of multivariate life distributions in the discrete setup

367 Book reviews

371 Calls for papers

377 Calendar of international conferences, symposia, lectures and meetings of interest

379 Erratum

Number 3

J. Fung and V. Makis 381 An inspection model with generally distributed restoration and repair times

H. Arsham 391 Goal-seeking problem in discrete event systems simulation

R. J. Burns 397 A simple technique for obtaining the MTBF of complex systems through numerical integration of the reliability function

W. G. Schneeweiss 403 Advanced hand calculations for fault tree analysis and synthesis

J. S. Dagpunar 417 The effect of minimal repairs on economic lot-sizing

J. N. Pan and S. L. Wu 421 Process capability analysis for non-normal relay test data

In-Kyeong Choi, Jai-Sang Koh and So-Yeon Lee 429 A symbolic reliability of multiple path required system with three states

D. Fakinos 437 The symmetric M/G/k loss system with heterogeneous servers

J. N. Pan 439 Reliability prediction of imperfect switching systems subject to multiple stresses

H.-Z. Huang 447 Fuzzy multi-objective optimization decision-making of reliability of series system

Cheng Kan and Wang Wen Yi 451 Preservation of some partial orderings under non-homogeneous Poisson shock model and Laplace transform

Seung Min Lee and Dong Ho Park 457 A test for the BMRL-t_0 class

Wenyi Wang and Hongfen Zhang 461 The methods of reduction in network reliability computing

Myung B. Kong and Kyung S. Park 467 Optimal replacement of an item subject to cumulative damage under periodic inspections

P. Cappelletti, R. Bez, D. Cantarelli, D. Nahmad and L. Ravazzi 473 CAST: an electrical stress test to monitor single bit failures in flash-EEPROM structures

J. M. Nahman 483 Enumeration of minimal cuts of modified networks

D. Wilkie, R. Drwinga, E. Eichman, N. Kunnari, B. Negley and D. Richardson 487 A design of experiment analysis of serial EEPROM endurance

G. S. Mokaddis, M. L. Tawfek and S. A. M. Elhssia 493 Some characteristics of a man–machine system operating subject to different weather conditions

Yeh Lam 497 A maintenance model for two-unit redundant system

B. S. Dhillon and N. Yang 505 Comparisons of block diagram and Markov method system reliability and mean time to failure results for constant and non-constant unit failure rates

Lian-Chang Zhao and Fan-Jia Kong 511 A new formula and an algorithm for reliability analysis of networks

M. K. Radhakrishnan 519 Die attach failures related to wafer back metal processing—an AES study

E. J. Vanderperre, S. S. Makhanov and S. Suchatvejapoom 525 Long-run availability of a repairable parallel system

529 World abstracts on microelectronics and reliability

547 Book review

Number 4

T. Yanagisawa 549 Estimation of the degradation of amorphous silicon solar cells

H. Reiche 555 A reliability study of a small vehicle

B. S. Dhillon and N. Yang 557 Formulas for analyzing a redundant robot configuration with a built-in safety system

M. Raghavachari, A. Srinivasan and P. Sullo 565 Poisson mixture yield models for integrated circuits: a critical review

K. W. Philp and N. D. Deans 581 Comparative redundancy, an alternative to triple modular redundant system design

U. D. Kumar and M. N. Gopalan 587 Analysis of consecutive *k*-out-of-*n*:F systems with single repair facility

Fang-Ming Shao and Lian-Chang Zhao 591 Optimal design improving a communication network reliability

M. V. Koutras 597 Consecutive-*k*,*r*-out-of-*n*: DFM systems

M. A. El-Damcese	605	System reliability with common-cause hazard to obey an exponential power model
M. T. Abuelma'atti and I. S. Qambar	609	SPICE application in the study of the behaviour of multi-state systems described by Markov models
Yeh Lam	615	An optimal maintenance model using a number of different actions
M. A. W. Mahmoud and M. E. Moshref	623	Probabilistic analysis of a two-unit cold standby redundant system subject to failure of controlled weather device
Lian-Chang Zhao and Fang-Ming Shao	629	Optimization of connecting two communication networks subject to a reliability constraint
Yi-Chih Hsieh	635	Optimal assignment of priorities for the machine interference problems
G. S. Mokaddis, S. W. Labib and A. M. Ahmed	641	Analysis of a two-unit warm standby system subject to degradation
A. Bouhdada, S. Bakkali and A. Touhami	649	Modelling of gate-induced drain leakage in relation to technological parameters and temperature
Jae-Hak Lim and Jai-Sang Koh	653	Reliability analysis and comparison of several structures

Technical Notes

V. Ramachandran, V. Sivakumar, K. Sathiyanarayanan and S. Chandrasekaran	661	Genetics based redundancy optimization
V. Ramachandran, J. Kannan, K. Sathiyanarayanan and V. Sivakumar	665	Optimal replacement strategies—genetic algorithms approach
V. Sridharan and P. Mohanavadivu	669	Optimum interchangement time for a two-dissimilar-unit with two types of repairman
S. Dey and P. Sarmah	673	Estimation of parameters of a model of a complex repairable system
A. Rekha and T. Shyam Sunder	677	Survival function of a component under random strength attenuation
A. Rekha and T. Shyam Sunder	683	Reliability of a cascade system with exponential strength and gamma stress
	687	World abstracts on microelectronics and reliability
H. Reiche	711	Things are changing—a report on the Reliability and Maintainability Symposium 1996

Number 5

T. Puritis	713	Problems related to the avalanche and secondary breakdown of silicon p–n junction
O. Chryssaphinou, S. Papastavridis and T. Tsapelas	721	A generalized multi-standby multi-failure mode system with various repair facilities
Sung-Jae Cho and Kyung-Chang Kim	725	Recovery technique in a client–server main memory DB environment
N. P. Padhy, S. R. Paranjothi and V. Ramachandran	733	A hybrid fuzzy neural network-expert system for a short term unit commitment problem
E. J. Vanderperre, S. Vannakrairojn and S. S. Makhanov	739	A delay-differential equation related to a renewable parallel system
V. Sridharan and P. R. Jayashree	743	Transient behaviour for a continuous time parameter system with finite waiting room

V. Sridharan and P. Mohanavadivu 747 Reliability and availability analysis for two non-identical unit parallel systems with common cause failures and human errors

A. A. Ismaeel and R. Bhatnagar 753 Power-constrained testing for bridging and stuck short faults in CMOS combinational circuits

A. A. Ismaeel, R. Bhatnagar and M. Khan 763 Modeling for bridging faults in nMOS combinational circuits

L. V. Utkin, S. V. Gurov and I. B. Shubinsky 779 Reliability of systems by mixture forms of uncertainty

V. N. Rayapati and B. Kaminska 785 Dynamic reconfiguration schemes for megabit BiCMOS SRAMs and performance evaluation

N. Arora and D. Kumar 795 Availability analysis of steam and power generation systems in the thermal power plant

S. V. Gurov and L. V. Utkin 801 Reliability and optimization of systems with periodic modifications in the probability and possibility contexts

Technical Notes

M. A. Aziz 809 Pathset enumeration of directed graphs by the set theoretic method

A. Chaturvedi 815 A note on sequential point estimation of the mean of a gamma population

N. Arora and D. Kumar 819 Stochastic analysis and maintenance planning of the ash handling system in the thermal power plant

B. N. Pandey and O. Rai 825 Shrinkage testimation of the shape parameter of an inverse Gaussian distribution using a $(\alpha\beta)_{\min}$ test

S. P. Rajamanickam and B. Chandrasekar 829 Reliability measures for two-unit systems with a dependent structure for failure and repair times

V. Sridharan and P. Mohanavadivu 835 A note on the cost analysis of an *n*-unit system with spares

S. A. H. Rizvi and R. K. Singh 841 On estimation of population mean using known coefficient of variation

R. Gupta, S. Z. Mumtaz and R. Goel 845 A two dissimilar unit multi-component system with correlated failures and repairs

R. Gupta, Ramkishan and R. Goel 851 Analysis of a system having super-priority, priority and ordinary units with arbitrary distributions

M. Jacob, S. Narmada and T. Varghese 857 Analysis of a two unit deteriorating standby system with repair

H. P. Singh and R. Singh 863 A class of shrinkage estimators for the variance of a normal population

S. Somasundaram and D. A. M. Dhas 869 Reliability of a dynamic *n*-unit shared load parallel system under different failure times

873 Book reviews

Number 6

M. Meniconi, D. M. Barry and D. C. Betts 875 Variations in performance degradation of CMOS NAND gates due to ionizing radiation

A. Kleyner, S. Bhagath, M. Gasparini, J. Robinson and M. Bender 879 Bayesian techniques to reduce the sample size in automotive electronics attribute testing

C. R. Tripathy, R. N. Mahapatra and R. B. Misra 885 Reliability analysis of hypercube multicomputers

Yisong Dai 893 A precision noise measurement and analysis method used to estimate reliability of semiconductor devices

B. Burtschy, G. Albeanu, D. N. Boros, F. Popentiu and V. Nicola 901 Improving software reliability forecasting

T. Satow and T. Nakagawa 909 Three replacement models with two kinds of damage

I. J. Jóźwiak 915 An introduction to the studies of reliability of systems using the Weibull proportional hazards model

Zhang Honfeng and Wang Wen Yi 919 The NBEFR and NWEFR classes of life distributions

R. K. Paul and Md. Borhan Uddin 923 Estimation of reliability of stress–strength model with non-identical component strengths

Research Notes

M. Jain 929 An (m, M) machine repair problem with spares and state dependent rates: a diffusion process approach

S. A. Siddiqui, S. Jain and R. K. Chauhan 935 Bayesian analysis of reliability and hazard rate function of a mixture model

A. Chaturvedi 943 Further remarks on sequential estimation of a scale parameter in exponential distributions with an unknown location

S. Kumar, N. P. Mehta and D. Kumar 949 Steady state behaviour and maintenance planning of a desulphurization system in a urea fertilizer plant

D. Pandey, S. K. Tyagi and S. Tyagi 955 Reliability analysis of star type local area networks

C. Tripathy 961 Microprocessor based recognition of dot-matrix characters using a fibre-optic scanner

P. Chandrasekhar and R. Natarajan 969 Confidence limits for steady state availability of systems with lognormal operating time and inverse Gaussian repair time

973 Book reviews

977 Calls for papers

981 Calendar of forthcoming events

Number 7

SPECIAL ISSUE RELIABILITY PHYSICS OF ADVANCED ELECTRON DEVICES

N. Stojadinović 983 Editorial

INTRODUCTORY REVIEW

E. Takeda 985 Challenges for giga-scale integration

HOT CARRIERS

S. Cristoloveanu 1003 Hot-carrier degradation mechanisms in silicon-on-insulator MOSFETS

E. Simoen and C. Claeys 1015 Hot-carrier stress effects on the amplitude of random telegraph signals in small area Si p-MOSFETS

R. Ghodsi and Y. T. Yeow 1021 Small-signal gate-to-drain capacitance of MOSFET as a diagnostic tool for hot-carrier induced degradation

OXIDE BREAKDOWN

D. J. Dumin 1029 Characterizing wearout, breakdown and trap generation in thin silicon oxide

E. Atanassova 1039 Thin oxide MOS damage generated after treatment in a MERIE reactor

A. Martin, P. O'Sullivan and A. Mathewson 1045 Study of unipolar pulsed ramp and combined ramped/constant voltage stress on MOS gate oxides

ELECTROMIGRATION

D. G. Pierce and P. G. Brusius 1053 Electromigration: a review

J. L. Gonzalez and A. Rubio 1073 Shape effect on electromigration in VLSI interconnects

C. Ciofi, M. Franzese and B. Neri 1079 Characterization of Al–Si–Cu metal lines by means of TEM analysis and the SARF technique

ESD

W. R. Anderson 1087 Circuit and process design considerations for ESD protection in advanced CMOS processes

S. Daniel, J.-W. Kim, K.-D. Hong and C.-K. Yoon 1105 ESD tester parasitics and stress conditions and their impact on device failure levels and failure mechanisms

R. Fried, Y. Blecher and S. Friedman 1111 Structures for ESD protection in CMOS processes

COMPOUND DEVICES

G. Meneghesso, E. De Bortoli, D. Sala and E. Zanoni 1121 Failure mechanisms of AlGaAs/InGaAs pseudomorphic HEMT's: effects due to hot electrons and modulation of trapped charge

P. Cova, R. Menozzi, F. Fantini, M. Pavesi and G. Meneghesso 1131 A study of hot-electron degradation effects in pseudomorphic HEMTs

V. A. Vaschenko, V. F. Sinkevitch and Y. B. Martynov 1137 Physical limitation on drain voltage of power PM HEMT

RESEARCH NOTES

S. Dimitrijev, P. Tanner, Z.-Qiang Yao and H. B. Harrison 1143 Slow state characterization by measurements of current–voltage characteristics of MOS capacitors

Z. Savić 1147 A method for separating the effects of interface from border and oxide trapped charge densities in MOS transistors

1151 List of reviewers

1153 Calendar of forthcoming events

Number 8

J. Nahman 1161 Fuzzy logic based network reliability evaluation

M. T. Madi 1165 Bayesian inference for partially accelerated life tests using Gibbs sampling

A. M. Sultan 1169 New approximation for parameters of normal distribution using type II-censored sampling

M. A. El-Damcese 1173 Suggested procedure for preventive maintenance policy

J. Lee 1179 Reliability models of a class of self-healing rings

K. Hiraoka and T. Nikaido 1185 Reliability design of current stress in LSI interconnects using the estimation of failure rate due to electromigration

P. K. K. Loh and A. Wahab 1193 A fault-tolerant communications switch prototype

Quey-Jen Yeh, T.-P. Chang and H.-C. Chang 1197 An inventory control model with Gamma distribution

Quan-Lin Li, De-Ju Xu and Jinhua Cao 1203 Reliability approximation of a Markov queueing system with server breakdown and repair

Ming-Che Lu and Dong Shang Chang 1213 Bootstrap prediction intervals for the Birnbaum–Saunders distribution

F. S. Makri and Z. M. Psillakis 1217 Bounds for reliability of k-within connected-(r,s)-out-of-(m,n) failure systems

Dequan Yue and Jinhua Cao 1225 Reliability analysis of a $M_1^{X_1}$, $M_2^{X_2}/G_1$, $G_2/1$ queueing system with a repairable service station

Su Baohe 1233 On a two-dissimilar-unit system with three modes and random check

T. Yanagisawa 1239 Estimation of the degradation of InGaN/AlGaN blue light-emitting diodes

K. Thirusangu and K. Rangarajan 1243 Marked graphs and Hamiltonian graphs

Zhi-Bin Tan 1251 Reliability and availability analysis of two-unit warm standby microcomputer systems with self-reset function and repair facility

J. Malinowski and W. Preuss 1255 Reliability of a two-way circular consecutively connected system with multistate components

S. A. Metwally 1259 Three-phase queueing servicing system with renewable servers

Research Notes

A. Noore 1267 Fault location in multi-modular redundant systems

C. K. Goel, S. Narmada and M. Jacob 1271 Analysis of a two-unit system with connecting and disconnecting effect

1275 World abstracts on microelectronics and reliability

1293 Calendar of forthcoming events

Number 9

SPECIAL ISSUE
ADVANCES IN MICROELECTRONICS: APPROACHING THE MILLENIUM

A. Shah and P. Yang 1301 MOS technology: trends and challenges in the ULSI era

W.-H. Lee 1309 MOS device structure development for ULSI: low power/high speed operation

T. Ohmi and T. Shibata 1315 Intelligence implementation on silicon based on four-terminal device electronics

W. Joppich and S. Mijalković 1329 Recent advances and trends in numerical techniques for process simulation

F. Balestra and S. Cristoloveanu 1341 Special mechanisms in thin-film SOI MOSFETs

G. Ghibaudo and F. Balestra 1353 Low temperature characterization of silicon CMOS devices

I. N. Shvetzov-Shilovsky 1367 MOSFET prediction in space environments

P. Rossel, H. Tranduc and G. Charitat 1375 Power MOS devices: structure evolutions and modelling approaches

H. Tadano, M. Ishiko, S. Kawaji and Y. Taga 1389 Low loss static induction devices (transistors and thyristors)

H. L. Hartnagel 1397 Microelectronics based on compound semiconductors

R. S. Popovic and J. A. Flanagan 1401 Sensor microsystems

V. Liberali, S. Brigati, F. Francesconi and F. Maloberti 1411 Progress in high-speed and high-resolution CMOS data converters

Number 10/11

SPECIAL ISSUE

8th European Symposium on RELIABILITY OF ELECTRON DEVICES, FAILURE PHYSICS AND ANALYSIS (ESREF 97)

Editorial ix
N. Labat and A. Touboul

THEME A: BUILDING-IN QUALITY AND RELIABILITY

Diagnostic technique for projecting gate oxide reliability and device reliability 1421
J. T. Park, D. N. Ha, C. G. Yu, B. G. Park and J. D. Lee

Building-in reliability during library development: hot-carrier degradation is no longer a problem of the technologists only! 1425
R. Bellens, I. Clemminck and K. van Doorselaer

A new reliability prediction model for telecommunication hardware 1429
M. Nilsson and Ö. Hallberg

Lifetime prediction for PMOS and NMOS devices based on a degradation model for Gate-Bias-Stress 1433
A. Narr and A. Lill

Direct parameter extraction for hot-carrier reliability simulation 1437
S. Minehane, S. Healy, P. O'Sullivan, K. McCarthy, A. Mathewson and B. Mason

An on-wafer test structure to measure the effect of thermally-induced stress on silicon devices 1441
Y. Haddab, D. Manic and R. S. Popovic

Computer-based training for failure analysis 1445
C. Henderson

An other way to assess electronics part reliability 1449
P. Charpenel, P. Cavernes, J. Borowski and J. M. Chopin

THEME B: MODELLING OF FAILURE MECHANISMS

ESD

ESD characteristics of a lateral NPN protection device in epitaxial and non-epitaxial substrates 1453
T. Suzuki, S. Ito and H. Monma

Using an SCR as ESD protection without latch-up danger 1461
G. Notermans, F. Kuper and J.-M. Luchies

Improving the ESD performance of input protection circuits in retrograde well and TI structures 1457
Y.-K. Park, T.-H. Kang, C.-H. Choi, J.-T. Kong and S.-H. Lee

Dangerous parasitics of socketed CDM ESD testers 1465
H. Gossner and T. Brodbeck

Electromigration

Reliability challenges for deep submicron interconnects 1469
J. W. McPherson, H. A. Le and C. D. Graas

Are high resolution resistometric methods really useful for the early detection of electromigration damage? 1479
A. Scorzoni, S. Franceschini, R. Balboni, M. Impronta, I. de Munari and F. Fantini

The thermally balanced bridge technique (TBBT): a new high resolution resistometric measurement technique for the study of electromigration-induced early resistance changes in metal stripes 1483
J. van Olmen, W. de Ceuninck, L. de Schepper, A. Goldoni, A. Cervini and F. Fantini

Influence of ARC capping layer on stress induced voiding in narrow AlCu metallisations 1487
L. Arnaud, D. Mariolle, P. Moreau and L. Ulmer

Early resistance change and stress/electromigration modeling in aluminum interconnects 1491
V. Petrescu, A. J. Mouthaan and W. Schoenmaker

Temperature and thermal conductivity modes of scanning probe microscopy for electromigration studies 1495
A. Buck, B. K. Jones and H. M. Pollock

Oxide and MOS Devices

Dielectric reliability in deep-submicron technologies: from thin to ultrathin oxides 1499
E. Vincent, S. Buyere, C. Papadas and P. Mortini

Activation of parasitic bipolar transistor during reverse recovery of MOSFET's intrinsic diode 1507
G. Busatto, G. V. Persiano, A. G. M. Strollo and P. Spirito

Characteristics of intrinsic breakdown of thin reoxidized nitride for trench capacitors 1511
E. Wu, C. Hwang, R. Vollertsen, R. Kleinhenz and A. Strong

Analysis of the evolution of the trapped charge distributions in 10nm SiO_2 films during DC and bipolar dynamic stress 1517
R. Rodriguez, M. Nafria, J. Suñe and X. Aymerich

Oxide thickness dependence of nitridation effects on TDDB characteristics 1521
M. K. Mazumder, A. Teramoto, M. Katsumata, M. Sekine, S. Kawazu and H. Koyama

Transient stressing and transient characterization of thin tunnel oxides 1525
M. Ciappa, A. Naitana and M. Vanzi

Investigation of stress induced leakage current in CMOS structures with ultra-thin gate dielectrics 1529
C. Jahan, K. Barla and G. Ghibaudo

A high resolution method for measuring hot carrier degradation in matched transistor pairs 1533
R. Dreesen, W. de Ceuninck, L. de Schepper and G. Groeseneken

Modelling of Failure Mechanisms

Comparison of different on-chip ESD protection structures in a 0.35μm CMOS technology 1537
C. Richier, N. Maene, G. Mabboux and R. Bellens

Gate and circuit level analysis of N-type SRAM reliability failures 1541
K. Symonds, J. Wilson, P. Lindo and M. Bahrami

A study of the thermal, electrical and mechanical influence on degradation in an aluminumpad structure 1545
X. Yu and K. Weide

Investigations of stress distributions in tungsten-filled via structures using finite element analysis 1549
J. Coughlan, S. Foley and A. Mathewson

Influence of thermal heating effect on pulsed DC electromigration 1553
P. Waltz, L. Arnaud, G. Tartavel and G. Lormand

Microstructural and surface effects on electromigration failure mechanism in Cu interconnects 1557
A. Gladkikh, M. Karpovski and A. Palevski

Effects of ESD protections on latch-up sensitivity of CMOS 4-stripe structures 1561
P. Pavan, A. Pellesi, G. Meneghesso and E. Zanoni

THEME C: TECHNIQUES AND METHODS FOR DEVICE ANALYSIS

Electron and Optical Beam Testing

Automated placement of testing pads for electron-beam observation 1565
N. Kuji and T. Takeda

Dual phase probing technique for IC-internal failure analysis 1569
S. Görlich, O. Ritschel, N. Webster and A. Winterstein

MMIC in-circuit and in-device testing with an on-wafer high frequency electric force microscope test system 1575
A. Leyk, S. van Waasen, F. J. Tegude and E. Kubalek

Absolute quantitative time resolved voltage measurements on 1 μm conducting lines of integrated circuits via electric force microscope-(EFM-) testing 1579
J. Bangert and E. Kubalek

Characterization of thermal device properties with nanometer resolution 1583
R. M. Cramer, L. Bruchhaus and L. J. Balk

High sensitivity and high resolution differential interferometer: micrometric polariscope for thermomechanical studies in microelectronics 1587
S. Dilhaire, T. Phan, E. Schaub and W. Claeys

A reliability study of titanium silicide lines using micro-Raman spectroscopy and emission microscopy 1591
I. de Wolf, D. J. Howard, M. Rasras, A. Lauwers, K. Maex, G. Groeseneken and H. E. Maes

Modification and application of an emission microscope for continous wavelength spectroscopy 1595
M. Rasras, I. de Wolf, G. Groeseneken and H. E. Maes

Noise Analysis

Low frequency noise characterization of 0.18 μm Si CMOS transistors 1599
T. Boutchacha, G. Ghibaudo, G. Guégan and T. Skotnicki

Retarding effect of surface base compensation on degration of noise characteristics of BiCMOS BJTs 1603
P. Llinares, S. Niel, G. Ghibaudo, L. Vendrame and J. A. Chroboczek

Comments on the utilization of noise measurements for the characterization of electromigration in metal lines 1607
C. Ciofi, V. Dattilo and B. Neri

Techniques and Methods for Device Analysis

Layers decoration on FIB cross-sections 1611
G. Perez, F. Courtade, B. Benteo and J. Lin-Kwan

Three-dimensional analysis for multilayer wiring in sub-half-micron devices 1615
N. Murata, Y. Hirose, K. Maekawa, M. Ikeno and H. Koyama

New methodology for localizing faults in programmable and commercial circuits 1619
R. Desplats, P. Perdu, F. Marc, Y. Danto and P. Welby

Micro-extraction spectrometers for voltage contrast in the SEM 1623
A. R. Dinnis and A. K. Dinnis

Effect of tip shape in the design of long distance electrostatic force microscopy 1627
S. Belaidi, P. Girard and G. Leveque

Applications of scanning electrical force microscopy 1631
F. Müller, A.-D. Müller, M. Hietschold and S. Kämmer

Noise and DC characteristics of power silicon diodes 1635
R. Crook and B. K. Jones

In situ ageing, a development of the *in situ* techniques for building-in reliability 1639
L. Galateanu

THEME D: III–V DEVICES

Failure mechanism and SPICE modeling of AlGaAs/GaAs HBT long-term current instability 1643
J. J. Liou and S. H. Sheu

GaAs power MMIC: a design methodology for reliability 1651
J. L. Muraro, F. Coppel, G. Gregoris, P. G. Tizien, J. L. Roux, J. Graffeuil and R. Plana

In-situ study of the degradation behaviour of GaAs MESFETS for HI-REL applications 1655
R. Petersen, W. de Ceuninck, L. de Schepper and G. Gregoris

Reliability study on three-dimensional Au/WSiN interconnections for ultra-compact MMICs 1659
H. Sugahara, M. Kimizuka, Y. K. Fukai, M. Hirano and F. Hyuga

Thermal simulation and characterisation of the reliability of THz Schottky diodes 1663
M. Brandt, M. Schüßler, E. Parmeggiani, C. I. Lin, A. Simon and H. L. Hartnagel

Finite element method applied to stress simulation of high power 980nm pump lasers 1667
M. Manna, F. Magistrali, M. Maini and D. Reichenbach

SiC-diodes forward surge current failure mechanisms: experiment and simulation 1671
A. Udal and E. Velmre

Analysis of hot electron degradations in pseudomorphic HEMTs by DCTS and LF noise characterization 1675
N. Labat, N. Saysset, A. Touboul, Y. Danto, P. Cova and F. Fantini

Development of "kink" in the output I-V characteristics of pseudomorphic HEMT's after hot-electron accelerated testing 1679
G. Meneghesso, B. Cogliati, G. Donzelli, D. Sala and E. Zanoni

Impact of InP HEMT epilayer designs on side gating effects 1683
C. Berthelemot, P. Vigier, J. M. Dumas and J. C. Harmand

An investigation into electrical parameter settling times of GaAs FETs and MMICs 1687
F. Coppel, J. M. Dumas and J. L. Cazaux

Characterisation of degradation mechanisms in resonant tunnelling diodes 1691
A. Vogt, M. Brandt, A. Sigurdardottir, M. Schüssler, D. Peña, A. Simon, H. L. Hartnagel, M. Rodewald, M. Roesner, H. Fuess, S. N. N. Goswami and K. Lal

An automatic adaptation method for heterojunction bipolar transistor dynamic test 1695
S. Gauffre, G. Duchamp, L. Casadebaig, J. Pistre and A. Cazarre

Failure mechanisms of GaAs MESFETS with Cu/refractory metallized gates 1699
T. Feng, A. Dimoulas, A. Christou, G. Constantinidis and Z. Hatsopoulos

Bias stress reliability of Be-, Zn- and C-doped base microwave HBTs 1703
A. A. Rezazadeh, T. Ahmad and M. A. Crouch

Experimental analysis and 2D simulation of AlGaAs/GaAs HBT base leakage current 1707
C. Maneux, N. Labat, N. Saysset, A. Touboul and Y. Danto

THEME E: POWER DEVICES

Cosmic ray induced failures in high power semiconductor devices 1711
H. R. Zeller

Substrate-to-base solder joint reliability in high power IGBT modules 1719
E. Herr, T. Frey, R. Schlegel, A. Stuck and R. Zehringer

Reliability issues in 650V high voltage bipolar-CMOS-DMOS integrated circuits 1723
J. A. van der Pol, H. J. Gerritsen, R. T. H. Rongen, P. P. M. C. Groeneveld, P. W. Ragay and H. A. van den Hurk

A laser beam method for evaluation of thermal time constant in smart power devices 1727
N. Seliger, D. Pogany, C. Fürböck, P. Habaš, E. Gornik and M. Stoisiek

Thermal characterization of IGBT power modules 1731
P. Cova, M. Ciappa, G. Franceschini, P. Malberti and F. Fantini

Reliability of smart power devices 1735
B. Murari

Suppressing the parasitic bipolar action of SOI-MOSFETs by using back-side bias-temperature treatment 1743
H. Koizumi, M. Shimaya and T. Tsuchiya

New understanding of LDD NMOS hot-carrier degradation and device lifetime at cryogenic temperatures 1747
J. Wang-Ratkovic, R. C. Lacoe, K. MacWilliams, M. Song, S. Brown and G. Yabiku

Effects of current density and chip temperature distribution on lifetime of high power IGBT modules in traction working conditions 1755
A. Hamidi and G. Coquery

High-temperature-reverse-bias testing of power VDMOS transistors 1759
N. Tošić, B. Pešić and N. Stojadinović

Dielectric testing for integrated power devices 1763
S. Oussalah and R. Jerisian

Bias temperature reliability of p-channel high-voltage devices 1767
A. Demesmaeker, A. Pergoot and P. de Pauw

THEME F: PACKAGING AND INTERCONNECTIONS

High performance microsystem packaging: a perspective 1771
A. D. Romig Jr, P. V. Dressendorfer and D. W. Palmer

Mechanical response of solder joints in flip-chip type structures 1783
A. Soper, G. Pozza, M. Ignat and G. Parat

Ultrasonic images interpretation improvement for microassembling technologies characterisation 1787
L. Bechou, Y. Ousten, B. Tregon, F. Marc, Y. Danto, R. Even and P. Kertesz

Micromachined structure reliability testing specificity. The Motorola MGS1100 gas sensor example 1791
J. M. Bosc and J. P. Odile

Evaluation of stresses in packaged ICs by in situ measurements with an assembly test chip and simulation 1795
C. Ducos, E. Saint Christophe, H. Frémont, G. N'Kaoua, C. Pellet and Y. Danto

Author Index I

Number 12

R. Billinton and H. Chen	1799	Weaknesses of the conventional three-state model in station-oriented reliability evaluation
E. De Baetselier, W. Goedertier and G. De Mey	1805	A survey of the thermal stability of an active heat sink
W. De Ceuninck, J. Manca, V. D'Haeger, J. Van Olmen, L. De Schepper and L. M. Stals	1813	Design of a new test structure for the study of electromigration with early resistance change measurements
R. R. Kamath and P. F. Mead	1817	Procedure for evaluation of thermal management requirements in a laser diode structure
G. A. Allan and A. J. Walton	1825	Efficient critical area measurements of IC layout applied to quality and reliability enhancement
D. J. Hauck and J. B. Keats	1835	Robustness of the exponential sequential probability ratio test (SPRT) when Weibull distributed failures are transformed using a "known" shape parameter
K. Nikawa and S. Inoue	1841	LSI failure analysis using focused laser beam heating

Research Notes

A. J. Watkins	1849	A note on expected Fisher information for the Burr XII distribution
W. L. Pearn and K. S. Chen	1853	Capability indices for non-normal distributions with an application in electrolytic capacitor manufacturing
K.-W. Chen and A. S. Papadopoulos	1859	Shortest Bayes credibility intervals for the lognormal failure model
	1865	World abstracts on microelectronics and reliability
	1883	Calendar of forthcoming events